

# SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Product name:

#### ANTICORIT DFW 8301

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Anticorrosion product Uses advised against: No uses advised against identified.

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier	FUCHS LUBRICANTS GERMANY GmbH Friesenheimer Str. 19 68169 Mannheim
Telephone:	+49 621 3701-0 (ZENTRALE)
Fax:	+49 621 3701-570

#### Contact for request of safety data sheets

E-mail:	Automotive lubricants	automotive-FLG@fuchs.com
Talanhana	Industrial lubricants	industrie-FLG@fuchs.com
Telephone:	+49 621 3701-0 (ZENTRALE)	

# Informing department for safety data sheets

E-mail:		produktsicherheit-FLG@fuchs.com
	 -	

# 1.4 Emergency telephone number: +49 621 3701-0 (Mo - Fr 08:00 - 16:00 Uhr)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation (EU) 1272/2008 (CLP).

# Classification according to Regulation (EC) No 1272/2008 as amended.

Health Hazards		
Aspiration Hazard	Category 1	H304: May be fatal if swallowed and enters air- ways.
Hazard summary Physical Hazards:	Can form flammable va	apour-air mixtures during the application.





Health Hazards	
Ingestion:	If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately.
2.2 Label Elements Contains:	Hydrocarbons, low viscosity
V	
Signal Words:	Danger
Hazard Statement(s):	H304: May be fatal if swallowed and enters airways.
Precautionary Statemen	nts
Response:	P301+P310: IF SWALLOWED: Immediately call a POISON CEN- TER/doctor. P331: Do NOT induce vomiting.
Supplemental label info	
	EUH208: Contains: Calcium Sulfonate. May produce an allergic reaction.
	EUH066: Repeated exposure may cause skin dryness or cracking.
2.3 Other hazards:	By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.
SECTION 3: Composition/inform	ation on ingredients

#### 3.2 Mixtures

#### General information:

Mixture based on severely refined mineral base oils with corrosion preventive agents and volatile hydrocarbons.

Chemical name	ldentifier	Concentration *	REACH Registra- tion No.	Notes
Hydrocarbons, low viscosity	EINECS: 920-901-0	50,00% - <100,00%	01-2119456810-40	
Calcium Sulfonate	EINECS: 263-093-9	5,00% - <10,00%	01-2119488992-18	
Base oil, low viscous	EINECS: 265-157-1	1,00% - <10,00%	01-2119484627-25	
Glycol derivative	EINECS: 203-961-6	1,00% - <5,00%	01-2119475104-44	
phenolic antioxidant	EINECS: 204-881-4	0,10% - <0,25%	01-2119565113-46	

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.





#### Classification

Chemical name	Identifier	Class	ification
Hydrocarbons, low viscosity	EINECS: 920-901-0	CLP:	Asp. Tox. 1;H304
Calcium Sulfonate	EINECS: 263-093-9	CLP:	Skin Sens. 1B;H317
Base oil, low viscous	EINECS: 265-157-1	CLP:	Asp. Tox. 1;H304
Glycol derivative	EINECS: 203-961-6	CLP:	Eye Irrit. 2;H319
phenolic antioxidant	EINECS: 204-881-4	CLP:	Aquatic Acute 1;H400, Aquatic Chronic 1;H410; M- Factor (aquatic acute): 1; M-Factor (aquatic chron- ic): 1

CLP: Regulation No. 1272/2008.

# specific concentration limit

Chemical name		specific concentra- tion limit		Category	Hazard state- ments
Calcium Sulfonate	EINECS: 263-093-9	>= 10 %	Skin sensitizer	1B	H317

For the wording of the listed hazard statements refer to section 16.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

SECTION 4: First aid measures	
General:	Instantly remove any clothing soiled by the product.
4.1 Description of first aid measu	Ires
Inhalation:	Supply fresh air; consult doctor in case of symptoms.
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.
Skin Contact:	Wash with water and soap; pay attention: skin degreasing product.
Ingestion:	Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do NOT induce vomiting.
4.2 Most important symptoms and effects, both acute and delayed:	If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately. Headache.
4.3 Indication of any immediate medical attention and spe- cial treatment needed	Get medical attention if symptoms occur.
SECTION 5: Firefighting measures	8

#### General Fire Hazards:

Use water spray to keep fire-exposed containers cool.



5.1 Extinguishing media	
Suitable extinguishing me- dia:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant add-ed
Unsuitable extinguishing media:	Water with a full water jet.
5.2 Special hazards arising from the substance or mix- ture:	Can form explosive vapor-air mixtures at higher temperatures.
5.3 Advice for firefighters	
Special fire fighting proce- dures:	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.
Special protective equip- ment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
SECTION 6: Accidental release m	easures
6.1 Personal precautions, pro- tective equipment and emergency procedures:	In case of spills, beware of slippery floors and surfaces. Keep away from sources of ignition - No smoking.
6.2 Environmental Precautions:	Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.
6.3 Methods and material for containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.
6.4 Reference to other sec- tions:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.
SECTION 7: Handling and storage	ð:
7.1 Precautions for safe han- dling:	Use only in well-ventilated areas. Risk of vapor concentration on the floor and in low-lying areas. Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when han- dling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.
7.2 Conditions for safe storage, including any incompatibili- ties:	Store locked up. Local regulations concerning handling and storage of wa- terpolluting products have to be followed. The precautions for storing and handling of flammable liquids have to be kept. Local regulations for com- mon storage of flammable liquids have to be followed. Do not heat up to temperatures close to the flash point.



# Product name: ANTICORIT DFW 8301

7.3 Specific end use(s): Not applicable

Storage Class: 10, Combustible liquids

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control Parameters

#### **Occupational Exposure Limits**

Chemical name	Туре	Exposure Lin	nit Values	Source
Hydrocarbons, low viscosity	AGW		300 mg/m3	Germany. TRGS 900, Occupational Exposure Limits (AGW), as amended
Glycol derivative	STEL	15 ppm	101,2 mg/m3	EU. Indicative Occupational Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, as amended (12 2009)
Glycol derivative	TWA	10 ppm	67,5 mg/m3	EU. Indicative Occupational Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, as amended (12 2009)
Glycol derivative - Vapor and aerosol.	AGW	10 ppm	67 mg/m3	Germany. TRGS 900, Occupational Exposure Limits (AGW), as amended (04 2014)
phenolic antioxidant - Inhala- ble fraction.	AGW		10 mg/m3	Germany. TRGS 900, Occupational Exposure Limits (AGW), as amended (09 2012)

# 8.2 Exposure controls

controls:

Appropriate engineering

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

General information:	Wash hands before breaks and after work. Use personal protective equip- ment as required. Personal protection equipment should be chosen accord- ing to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be ad- hered to inhandling the chemicals or the mineral oil products.
Eye/face protection:	Safety glasses (EN 166) recommended during refilling.





Skin protection Hand Protection:	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0,38 mm Avoid long-term and repeated skin contact. Suitable gloves can be recom- mended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety direc- tions. The exact break through time has to be found out by the manufactur- er of the protective gloves and has to be observed.
Other:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
Respiratory Protection:	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.
Thermal hazards:	Not known.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated foot- wear that cannot be cleaned.
Environmental Controls:	No data available.

# SECTION 9: Physical and chemical properties

.

# 9.1 Information on basic physical and chemical properties

Appearance	
Physical state:	liquid
Form:	liquid
Color:	Yellow
Odor:	Characteristic
pH:	substance/mixture is non-soluble (in water)
Freezing point:	not determined
Boiling Point:	No data available.
Flash Point:	72 °C
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	not determined
Flammability Limit - Upper (%)–:	Not applicable for mixtures
Flammability Limit - Lower (%)–:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Relative vapor density:	Not applicable for mixtures
Density:	0,80 g/ml (15,00 °C)
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures





Autoignition Temperature:
Decomposition Temperature:
Kinematic viscosity:
Explosive properties:
Oxidizing properties:
Particle characteristics:
9.2 Other information

not determined not determined 3,7 mm2/s (40 °C) Value not relevant for classification Value not relevant for classification Not applicable No data available.

# SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

### Acute toxicity

Oral Product: Specified substance(s) Hydrocarbons, low vis- cosity	Not classified for acute toxicity based on available data. LD 50 (Rat): > 10.000 mg/kg
Calcium Sulfonate	LD 50 (Rat): > 16.000 mg/kg
Base oil, low viscous	LD 50 (Rat): > 5.000 mg/kg (OECD 423)
Glycol derivative	LD 50 (Rat): 3.384 mg/kg
phenolic antioxidant	LD 50 (Rat): > 2.930 mg/kg (OECD 401)



Dermal Product:	Not classified for acute toxicity based on available data.
Specified substance(s) Calcium Sulfonate	LD 50 (Rat): > 5.001 mg/kg
Base oil, low viscous	LD 50 (Rabbit): > 5.000 mg/kg (OECD 402)
Glycol derivative	LD 50 (Rabbit): 2.700 mg/kg
phenolic antioxidant	LD 50 (Rat): > 5.000 mg/kg (OECD 402)
Inhalation Product: Specified substance(s) Hydrocarbons, low vis-	Not classified for acute toxicity based on available data. LC 50 (Rat, 4 h): > 5 mg/l
cosity Skin Corrosion/Irritation: Product: Specified substance(s) Calcium Sulfonate	Based on available data, the classification criteria are not met. OECD 404 (Rabbit): Not irritant.
Serious Eye Damage/Eye Irri Product:	<b>tation:</b> Based on available data, the classification criteria are not met.
Respiratory or Skin Sensitiza Product:	ation: Experimental data has shown that the concentration of potentially sensitiz- ing components present in this product does not induce skin sensitization.
Specified substance(s) Calcium Sulfonate	May cause sensitization by skin contact.
phenolic antioxidant	No sensitizing effect (guinea pig); OECD 406
Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.
Carcinogenicity Product:	Based on available data, the classification criteria are not met.
Reproductive toxicity Product:	Based on available data, the classification criteria are not met.
Specific Target Organ Toxici Product:	<b>ty - Single Exposure</b> Based on available data, the classification criteria are not met.
Specific Target Organ Toxici Product:	<b>ty - Repeated Exposure</b> Based on available data, the classification criteria are not met.
Aspiration Hazard Product:	May be fatal if swallowed and enters airways.
sue Date: 30.10.2013	



Other adverse effects:	No data available.	
SECTION 12: Ecological informati	on	
12.1 Toxicity		
Acute toxicity Product:	Based on available data, the classification criteria are not met.	
Fish Specified substance(s) Hydrocarbons, low vis- cosity	LC 50 (Fish, 96 h): > 101 mg/l	
Calcium Sulfonate	LC 50 (Fish, 96 h): > 10.000 mg/l (OECD 203)	
Base oil, low viscous	LC 50 (Fish, 96 h): > 101 mg/l (OECD 203)	
Glycol derivative	LC 50 (Fish, 96 h): 1.300 mg/l	
Aquatic Invertebrates Specified substance(s) Calcium Sulfonate	EC 50 (Water Flea, 48 h): > 100 mg/l (OECD 202)	
Base oil, low viscous	EC 50 (Water Flea, 48 h): > 10.000 mg/l (OECD 202)	
Glycol derivative	EC 50 (Water Flea, 48 h): > 101 mg/l	
phenolic antioxidant	EC 50 (Water Flea, 48 h): 0,61 mg/l (OECD 202)	
Chronic ToxicityProduct:	Based on available data, the classification criteria are not met.	
Aquatic Invertebrates Specified substance(s) phenolic antioxidant	NOEC (Water Flea, 21 d): > 0,39 mg/l	
Toxicity to Aquatic Plants Specified substance(s) Base oil, low viscous	EC 50 (Alga, 72 h): > 101 mg/l	
Glycol derivative	EC 50 (Alga, 96 h): > 101 mg/l	
12.2 Persistence and Degradability		
Biodegradation Product: Specified substance(s)	Not applicable for mixtures	
Hydrocarbons, low vis- cosity	31 % (28 d, OECD 301F) Not readily degradable.	
Calcium Sulfonate	8,6 % (28 d) Not easily biodegradable	
phenolic antioxidant	30 % (OECD 302C) Not readily degradable.	
Issue Date: 30.10.2013		





12.3 Bioaccumulative potential Product: Specified substance(s)	Not applicable for mixtures
phenolic antioxidant	May be accumulated in organism
12.4 Mobility in soil: Product:	Not applicable for mixtures
12.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB criteria.
12.6 Other adverse effects:	No data available.
Water Hazard Class (WGK):	WGK 2: significantly water-endangering.
SECTION 13: Disposal considerations	

# 13.1 Waste treatment methods

General information:	Dispose in accordance with all applicable regulations.
Disposal methods:	Discharge, treatment, or disposal may be subject to national, state, or local laws.

# European Waste Codes

07 06 04\*: other organic solvents, washing liquids and mother liquors

SECTION 14: Transport information	
ADR/RID	
14.1 UN Number:	-
14.2 UN Proper Shipping Name:	-
14.3 Transport Hazard Class(es)	
Class:	Non-dangerous goods
Label(s):	-
Hazard No. (ADR):	-
Tunnel restriction code:	-
14.4 Packing Group:	-
14.5 Environmental hazards:	-
14.6 Special precautions for user:	-





IMDG	
14.1 UN Number:	_
14.2 UN Proper Shipping Name:	_
14.3 Transport Hazard Class(es)	
Class:	Non-dangerous goods
Label(s):	_
EmS No.:	_
14.3 Packing Group:	_
14.5 Environmental hazards:	_
14.6 Special precautions for user:	_
ΙΑΤΑ	
14.1 UN Number:	_
14.2 Proper Shipping Name:	_
14.3 Transport Hazard Class(es):	
Class:	Non-dangerous goods
Label(s):	-
14.4 Packing Group:	
	-
	-
14.5 Environmental hazards: 14.6 Special precautions for user:	

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

# **EU Regulations**

EU. Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: none

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: none

National Regulatio	ns
Water Hazard Clas (WGK):	WGK 2: significantly water-endangering.
15.2 Chemical safety as sessment:	<ul> <li>No Chemical Safety Assessment has been carried out.</li> </ul>
SECTION 16: Other info	rmation
<b>Revision Information:</b>	Vertical lines in the margin indicate an amendment.
Wording of the H-state	ments in section 2 and 3
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.



Other information:	The classification complies with the current EU lists; however, it has been supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: - On the basis of test data - Calculation Method - Bridging Principle "Substantially similar mixtures" - Expert Judgement
Revision Date: Disclaimer:	25.10.2021 The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be de- duced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of pro- cessing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no sig- nature.