

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Product name:

TITAN 2T 100S

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier	FUCHS LUBRICANTS GERMANY GmbH Friesenheimer Str. 19 68169 Mannheim
Telephone:	+49 621 3701-0 (ZENTRALE)
Fax:	+49 621 3701-570

Contact for request of safety data sheets

E-mail:	Automotive lubricants	automotive-FLG@fuchs.com
Telephone:	Industrial lubricants +49 621 3701-0 (ZENTRALE)	industrie-FLG@fuchs.com
-		

Informing department for safety data sheets

E-mail:	produktsicherheit-FLG@fuchs.com
1.4 Emergency telephone number:	+49 621 3701-0 (Mo - Fr 08:00 - 16:00 Uhr)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has not been classified as hazardous, but needs to be labelled according to regulation (EU) 1272/2008 (CLP).

Classification according to Regulation (EC) No 1272/2008 as amended.

Hazard summary

Physical Hazards: No data available.

2.2 Label Elements



Product name: TITAN 2T 100S

	EUH208: Contains Alkyl phenol, long chain. May produce an allergic reac- tion.
	EUH210: Safety data sheet available on request.
2.3 Other hazards:	By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information: Mixture of synthetic base oils with additives.

Chemical name	Identifier		REACH Registra- tion No.	Notes
Hydrocarbons, low viscosity	EINECS: 926-141-6	20,00% - <50,00%	01-2119456620-43	
Alkyl phenol, long chain	EC: 931-468-2	0,10% - <1,00%	01-2119498288-19	

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Identifier	Classification	
Hydrocarbons, low viscosity	EINECS: 926-141-6	CLP:	Asp. Tox. 1;H304
Alkyl phenol, long chain	EC: 931-468-2	CLP:	Skin Sens. 1B;H317, STOT RE 2;H373
CLP: Regulation No. 1272/2008.			

SECTION 4: First aid measures

Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation:	Supply fresh air; consult doctor in case of symptoms.
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.
Skin Contact:	Wash with soap and water.
Ingestion:	Rinse mouth thoroughly.
4.2 Most important symptoms and effects, both acute and delayed:	May cause skin and eye irritation.
4.3 Indication of any immediate medical attention and spe- cial treatment needed	Get medical attention if symptoms occur.

SECTION 5: Firefighting measures



Product name: TITAN 2T 100S

5.1 Extinguishing media	
Suitable extinguishing me- dia:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant add- ed
Unsuitable extinguishing media:	Water with a full water jet.
5.2 Special hazards arising from the substance or mix- ture:	During fire, gases hazardous to health may be formed.
5.3 Advice for firefighters	
Special fire fighting proce- dures:	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.
Special protective equip- ment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
SECTION 6: Accidental release m	easures
6.1 Personal precautions, pro- tective equipment and emergency procedures:	In case of spills, beware of slippery floors and surfaces.
6.2 Environmental Precautions:	Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.
6.3 Methods and material for containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.
6.4 Reference to other sec- tions:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.
SECTION 7: Handling and storage	:
7.1 Precautions for safe han- dling:	Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil prod- ucts or chemical products. Observe good industrial hygiene practices. Pro- vide adequate ventilation.
7.2 Conditions for safe storage, including any incompatibili- ties:	Local regulations concerning handling and storage of waterpolluting prod- ucts have to be followed. Do not heat up to temperatures close to the flash point.
7.3 Specific end use(s):	No data available.





Product name: TITAN 2T 100S

Storage Class:

10, Combustible liquids

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

Chemical name	Туре	Exposure Limit Values	Source
Hydrocarbons, low vis	scous AGW	300 mg/m3	Germany. TRGS 900, Occupational Exposure Limits (AGW), as amended

8.2 Exposure controls

Appropriate engineering controls:	Provide adequate ventilation. Ventilation rates should be matched to condi- tions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain air- borne levels to an acceptable level.	
Individual protection measure	es, such as personal protective equipment	
General information:	Wash hands before breaks and after work. Use personal protective equip- ment as required. Personal protection equipment should be chosen accord- ing to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be ad- hered to inhandling the chemicals or the mineral oil products.	
Eye/face protection:	Safety glasses (EN 166) recommended during refilling.	
Skin protection Hand Protection:	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0,38 mm Avoid long-term and repeated skin contact. Suitable gloves can be recom- mended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety direc- tions. The exact break through time has to be found out by the manufactur- er of the protective gloves and has to be observed.	
Other:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.	
Respiratory Protection:	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.	
Thermal hazards:	Not known.	
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated foot- wear that cannot be cleaned.	
Environmental Controls:	No data available.	



Product name: TITAN 2T 100S

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state:	liquid
Form:	liquid
Color:	Blue
Odor:	Characteristic
pH:	substance/mixture is non-soluble (in water)
Freezing point:	not determined
Boiling Point:	not determined
Flash Point:	130 °C
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	not determined
Flammability Limit - Upper (%)–:	Not applicable for mixtures
Flammability Limit - Lower (%)–:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Relative vapor density:	Not applicable for mixtures
Density:	0,87 g/ml (15,00 °C)
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	not determined
Decomposition Temperature:	not determined
Kinematic viscosity:	47,5 mm2/s (40 °C)
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
Particle characteristics:	Not applicable
2 Other information	No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and oth- er toxic gases or vapors.



Product name: TITAN 2T 100S

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral Product: Specified substance(s) Hydrocarbons, low vis- cosity	Not classified for acute toxicity based on available data. LD 50 (Rat): > 5.000 mg/kg (OECD 401)
Dermal Product: Specified substance(s) Hydrocarbons, low vis- cosity	Not classified for acute toxicity based on available data. LD 50 (Rabbit): > 5.000 mg/kg (OECD 402)
Inhalation Product:	Not classified for acute toxicity based on available data.
Skin Corrosion/Irritation: Product: Specified substance(s) Hydrocarbons, low vis- cosity	Based on available data, the classification criteria are not met. OECD 404 Not irritant.
Serious Eye Damage/Eye Irr Product:	itation: Based on available data, the classification criteria are not met.
Respiratory or Skin Sensitiz Product:	ation: Skin sensitizer: Based on available data, the classification criteria are not met. Respiratory sensitizer: Based on available data, the classification criteria are not met.
Specified substance(s) Hydrocarbons, low vis- cosity	No sensitizing effect (guinea pig); OECD 406
Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.
Carcinogenicity Product:	Based on available data, the classification criteria are not met.
Reproductive toxicity Product:	Based on available data, the classification criteria are not met.
Specific Target Organ Toxic Product:	ity - Single Exposure Based on available data, the classification criteria are not met.





Specific Target Organ Toxici Product:	ity - Repeated Exposure Based on available data, the classification criteria are not met.	
Aspiration Hazard Product:	Based on available data, the classification criteria are not met.	
Other adverse effects:	No data available.	
ECTION 12: Ecological informati	on	
12.1 Toxicity		
Acute toxicity Product:	Based on available data, the classification criteria are not met.	
Fish Specified substance(s) Hydrocarbons, low vis- cosity	LC 50 (Fish, 96 h): 1.000 mg/l (OECD 203)	
Chronic ToxicityProduct:	Based on available data, the classification criteria are not met.	
Toxicity to Aquatic Plants Specified substance(s) Hydrocarbons, low vis- cosity	EC 50 (Alga, 72 h): > 1.000 mg/l (OECD 201)	
12.2 Persistence and Degradabili	ity	
Biodegradation Product: Specified substance(s) Hydrocarbons, low vis- cosity	Not applicable for mixtures (OECD 301F) Readily biodegradable	
12.3 Bioaccumulative potential Product:	Not applicable for mixtures	
12.4 Mobility in soil: Product:	Not applicable for mixtures	
12.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB criter	
12.6 Other adverse effects:	No data available.	
Water Hazard Class (WGK):	WGK 1: slightly water-endangering.	



Product name: TITAN 2T 100S

13.1 Waste treatment method	S
General information:	Dispose in accordance with all applicable regulations.
Disposal methods:	Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed.

European Waste Codes

13 02 06*: synthetic engine, gear and lubricating oils

SECTION 14: Transport information

ADR/RID	
14.1 UN	Number:
14.2 UN	Proper S

14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es)	-
Class: Label(s):	Non-dangerous goods –
Hazard No. (ADR): Tunnel restriction code:	-
14.4 Packing Group: 14.5 Environmental hazards:	-
14.6 Special precautions for user:	_
IMDG	
14.1 UN Number:	_
14.2 UN Proper Shipping Name:	-
14.3 Transport Hazard Class(es)	Non des services souds
Class: Label(s):	Non-dangerous goods
EmS No.:	-
14.3 Packing Group:	_
14.5 Environmental hazards:	_
14.6 Special precautions for user:	_
ΙΑΤΑ	
14.1 UN Number:	_
14.2 Proper Shipping Name:	-
14.3 Transport Hazard Class(es):	
Class:	Non-dangerous goods
Label(s):	-
14.4 Packing Group:	_
14.5 Environmental hazards:	-
14.6 Special precautions for user:	_

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.



Product name: TITAN 2T 100S

SECTION 15: Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: **EU Regulations** EU. Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: none EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: none **National Regulations** Water Hazard Class WGK 1: slightly water-endangering. (WGK): 15.2 Chemical safety as-No Chemical Safety Assessment has been carried out. sessment: SECTION 16: Other information **Revision Information:** Vertical lines in the margin indicate an amendment. Wording of the H-statements in section 2 and 3 H304 May be fatal if swallowed and enters airways. H317 May cause an allergic skin reaction. H373 May cause damage to organs through prolonged or repeated exposure. Other information: The classification complies with the current EU lists; however, it has been supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: - On the basis of test data - Calculation Method - Bridging Principle "Substantially similar mixtures" - Expert Judgement **Revision Date:** 28.12.2021 **Disclaimer:** The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.